

UNITED STATES PATENT AND TRADEMARK OFFICE

DR

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/019,228	01/23/2002	Morgan Ryhman	0104-0374P	1746	
2292	7590 12/02/2003		EXAMINER		
BIRCH STEWART KOLASCH & BIRCH PO BOX 747 FALLS CHURCH, VA 22040-0747			BRINSON, P.	BRINSON, PATRICK F	
			ART UNIT	PAPER NUMBER	
	,	•	3752		
			DATE MAILED: 12/02/2003	12	

Please find below and/or attached an Office communication concerning this application or proceeding.

major among the first of

Art Unit: 3752

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the subject matter recited in claim 8 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered. Claim 8 recites that the cross-sectional shape of the groove is different in different parts of the hose, however this feature is not illustrated in the figures.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 3 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 3 recites "the perform of the hose" without proper antecedent basis.

Art Unit: 3752

Claim 13 is not clear in reciting, "...by extruding the materials forming the hose, characterized by extruding, in addition to the hose material and together with this, a form material...". Appropriate correction is required.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35-U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-5, 7, 9 and 10 are rejected under 35 U.S.C. 102(b) as being anticipated by Heller.

The patent to **Heller** discloses a pipe coupling, figs. 26-28, including at least one wall portion that is connected with at least one expansion portion, wherein the circumference of the hose is variable between a minimum value when the expansion portion is unexpanded and maximum value when the expansion portion is maximally expanded. The expansion portions extend in the traverse and longitudinal directions of the hose, allowing the wall portions to be displaced relative to each other in the transverse as well as the longitudinal direction of the hose. Figs. 26-28 disclose the wall and expansion portions being differently formed in different parts along the hose to control the

Art Unit: 3752

direction of motion of the different parts during expansion or vibration. Figs. 26 and 27 discloses the hose being made up of several smaller hoses, connected at 86, however, fig. 28 discloses the differently formed expansion and wall portions in one unitary formed hose.

Allowable-Subject-Matter-

- 4. Claims 6, 8, 11, 12 and 14-19 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 5. Claim 13 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, second paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Patrick F. Brinson** whose telephone number is (703) 308-0111. The examiner can normally be reached on M-F 7:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **Michael Y. Mar** can be reached on (703) 308-2087. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Art Unit: 3752

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0861.

Patrick F. Brinson Primary Examiner Art Unit 3752

P. F. Brinson December 1, 2003